according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: 35928 Print date 22.10.2015

 Print date
 22.10.2015
 69999 EN

 Version
 1.4
 Validity Date 04.05.2015
 Page1 / 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifiers:

Article No. (manufacturer/supplier): 35928

Identification of the substance or mixture:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Printing aids

1.3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

A.M. Ramp & Co GmbH

RUCO Druckfarben Telephone: +49.61 98.30 40 Lorsbacher Str. 28 Telefax: +49.61 98.3 22 88

D-65817 Eppstein

Dept. responsible for information:

E-mail info@ruco-inks.com

1.4. Emergency telephone number

Emergency telephone number +49.61 98.30 40

Only available during office hours.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

Acute Tox. 4 / H332 Acute toxicity (inhalative) Harmful if inhaled.

Acute Tox. 4 / H312 Acute toxicity (dermal) Harmful in contact with skin.

Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is classified as hazardous according to 1999/45/EC.

Xn; R20/21 Harmful Harmful Harmful by inhalation and in contact with skin.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Warning

Hazard statements

H312 + H332 Harmful in contact with skin or if inhaled.

Precautionary statements

P261 Avoid breathing vapours.

P280 Wear protective gloves and eye/face protection.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P501 Dispose of contents/container to industrial incineration plant.

contains:

2-butoxyethyl acetate

Supplemental Hazard information (EU)

n.a.

Labelling (67/548/EEC or 1999/45/EC)



Xn Harmful

Hazard statements

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: 35928 Print date 22.10.2015

 Print date
 22.10.2015
 69999 EN

 Version
 1.4
 Validity Date 04.05.2015
 Page2 / 7

20/21 Harmful by inhalation and in contact with skin.

Precautionary statements

36/37 Wear suitable protective clothing and gloves.

51 Use only in well-ventilated areas.

contains:

2-butoxyethyl acetate

Special provisions concerning the labelling of certain mixtures

n.a.

2.3. Other hazards

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Product description / chemical characterization

Description Organic solvent or solvent mixture

Hazardous ingredients

Classification according to Regulation (EC) No. 1272/2008 [CLP]

EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification:	Remark
203-933-3	01-2119475112-47-XXXX	50 - 100
112-07-2	2-butoxyethyl acetate	
607-038-00-2	Acute Tox. 4 H332 / Acute Tox. 4 H312	

Classification according to Directive 67/548/EEC or 1999/45/EC

EC No.	REACH No.	
CAS No.	Chemical name	Wt %
INDEX No.	classification:	Remark
203-933-3	01-2119475112-47-XXXX	50 - 100
112-07-2	2-butoxyethyl acetate	
607-038-00-2	Xn; R20/21	

Additional information

Full text of R-phrases: see section 16. Full text of H-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures:

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed:

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: 35928 Print date 22.10.2015

 Print date
 22.10.2015
 69999 EN

 Version
 1.4
 Validity Date 04.05.2015
 Page3 / 7

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Precautions against fire and explosion:

Vapours are heavier than air. Vapours form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (BGR 132)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 35 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: 35928 Print date 22.10.2015

 Print date
 22.10.2015
 69999 EN

 Version
 1.4
 Validity Date 04.05.2015
 Page4 / 7

Occupational exposure limit values:

EC No.	Description	type	Lir	mit value	Unit
CAS No.		Country:	STEL (EC)	TWA (EC)	
203-933-3	2-butoxyethyl acetate	-	332	133	mg/m3
112-07-2		WEL	50	20	ppm

Additional information

TWA (EC): occupational exposure limit value

STEL (EC): short-term occupational exposure limit value

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Occupational exposure controls

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: butyl rubber

Thickness of the glove material > 0,4 mm; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye protection

Wear closely fitting protective glasses in case of splashes.

Protective clothing

Recommendation Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical state liquid
Colour as labeled
Odour typical

Safety relevant basis data	Un	it	Method	Remark
Flash point:	78 °C		DIN 53213	
Ignition temperature in °C:	375 °C			
Lower explosion limit	1,7 Vo	I-%		
Upper explosion limit	8,4 Vo	I-%		
Vapour pressure at 20 °C:	0,30 mb	ar		
Density at 20 °C:	0,94 g/c	cm³		
Water solubility (g/L)	not soluble			
pH at 20 °C:	-			
Viscosity at 20 °C	11 s 4 mm		DIN 53211	
Solvent separation test (%)	< 3 %		ADR/RID	
Solid content (%):	0,00 Wt	: %		
solvent content:				
Organic solvents:	100 Wt 9	%		
Water:	0 Wt %	%		
Other information:				

9.2. Other information:

SECTION 10: Stability and reactivity

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: 35928

 Print date
 22.10.2015
 69999 EN

 Version
 1.4
 Validity Date 04.05.2015
 Page5 / 7

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

Irritant and corrosive effects

Toxicological data are not available.

Sensitisation

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall Assessment on CMR properties

The ingredients in this preparation do not meet the criteria for classification as CMR category 1 or 2 according to 67/548/EEC.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

SECTION 12: Ecological information

overall evaluation

There is no information available on the preparation itself.

Do not allow to enter into surface water or drains.

12.1. Toxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: 35928

 Print date
 22.10.2015
 69999 EN

 Version
 1.4
 Validity Date 04.05.2015
 Page6 / 7

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

140603 other solvents and solvent mixtures

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

n.a.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

n.a.

14.4. Packing group

n.a.

14.5. Environmental hazards

Land transport (ADR/RID) n.a.

Marine pollutant n.a.

14.6. Environmental hazards

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Additional information

Land transport (ADR/RID)

tunnel restriction code

Sea transport (IMDG)

EmS-No. n.a.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).

 VOC-value (in g/L) ISO 11890-2:
 940,000

 VOC-value (in g/L) ASTM D 2369:
 940,000

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) No 453/2010



Article No.: 35928 Print date 22.10.2015

69999 EN Version Validity Date 04.05.2015 Page 7 / 7

Other regulations, restrictions and prohibition regulations

HMIS-Code: 1-2-0-C

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

SECTION 16: Other information

Relevant R-and H-phrases (Number and full text):

Acute Tox. 4 / H332 Acute toxicity (inhalative) Harmful if inhaled.

Acute Tox. 4 / H312 Acute toxicity (dermal) Harmful in contact with skin.

Xn: R20/21 Harmful Harmful by inhalation and in contact with skin.

Additional information

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

remark

not applicable n.a. =